





Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık
30-3115*	7	20	1.2	1.2	0.160 Kg/m
30-2419*	7	16	1	1	0.120 Kg/m
30-2230	8	23	0.8	0.8	0.120 Kg/m
10-2523	8	12	1.5	1.5	0.137 Kg/m
10-2522	8	16	1.5	1.5	0.170 Kg/m
10-2270*	9	18	1.3	1.3	0.166 Kg/m
10-4275*	9	60	1	1	0.432 Kg/m
40-8871*	10	15	1.4	1.4	0.157 Kg/m
30-1030	10	20	1.1	1.1	0.169 Kg/m
20-912	10	20	2	2	0.230 Kg/m
30-1517	10	22	1	1	0.196 Kg/m
10-2308*	10	25	1.5	1.5	0.251 Kg/m
40-6838*	10	30	1	1	0.205 Kg/m
10-5210	10	40	1.2	1.2	0.308 Kg/m
30-4131	10	50	1	1	0.375 Kg/m
40-6069*	10	20	2	2	0.222 Kg/m
30-4133	11	17	2	2	0.204 Kg/m
40-10518*	11	12	1.1	1.1	0.124 Kg/m
30-1903*	12	18	0.9	0.9	0.131 Kg/m
30-1033	12	18	2	2	0.152 Kg/m
40-10058	12	20	2	2	0.303 Kg/m
40-3746*	12	25	1.6	1.6	0.291 Kg/m
40-10059	12	30	2	2	0.411 Kg/m
40-8887*	12	105	1.8	1.8	1.106 Kg/m
50-4193	12	120	1.5	1.5	1.045 Kg/m
50-9596	13.7	35.7	1.2	1.2	0.305 Kg/m
40-10075*	13.8	24.8	2	2	0.372 Kg/m
20-12395*	14	25	2	2	0.380 Kg/m
40-10203*	14	80	1.6	1.6	0.785 Kg/m
10-1398	14.2	50	1.5	1.5	0.496 Kg/m
50-3305*	14.4	49.4	1.2	1.2	0.394 Kg/m
30-1710	15	20	2	2	0.337 Kg/m
10-4342	15	25	0.9	0.9	0.186 Kg/m
40-6511*	15	25	1.5	1.5	0.300 Kg/m
30-1886	15	25	2	2	0.391 Kg/m
10-1018	15	30	1	1	0.232 Kg/m
10-1169	15	30	1.3	1.3	0.298 Kg/m
40-6551	15	33	1.5	1.5	0.365 Kg/m
40-1475	15	40	1.1	1.1	0.318 Kg/m

Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık
40-6672	15	50	1.2	1.2	0.407 Kg/m
40-10894*	15	50	1.5	1.5	0.495 Kg/m
50-10189	15	50	2	2	0.659 Kg/m
40-5837*	15	50	2.5	2.5	0.812 Kg/m
50-7040	15	150	1.5	1.5	1.312 Kg/m
10-4138	15	150	1.8	1.8	1.569 Kg/m
30-1260	15	40	1	1	0.567 Kg/m
10-4359	16	54	2	2	0.702 Kg/m
40-3779	16	25	1.5	1.5	0.302 Kg/m
10-1492	16	34	2	2	0.376 Kg/m
30-1032	17	25	1	1	0.216 Kg/m
20-914	17	25	1.2	1.2	0.265 Kg/m
20-914-B	17	25	2	2	0.420 Kg/m
40-10076*	17	28	1.4	1.4	0.298 Kg/m
40-1652*	18	20	2	2	0.282 Kg/m
30-1811*	19	31	1	1	0.312 Kg/m
10-1491	19	30	2	2	0.370 Kg/m
50-3065	19	44	2	2	0.637 Kg/m
30-1767	20	40	0.9	0.9	0.282 Kg/m
40-6194*	20	25	2	2	0.341 Kg/m
40-10071	20	25	2	2	0.444 Kg/m
40-1441	20	30	1	1	0.284 Kg/m
30-1028	20	30	1.2	1.2	0.308 Kg/m
20-13162	20	30	1.3	1.3	0.335 Kg/m
30-1464	20	30	2	2	0.382 Kg/m
50-1883	20	30	1.65	1.65	0.416 Kg/m
50-4278	20	30	2	2	0.497 Kg/m
20-965*	20	30	2.5	2.5	0.615 Kg/m
30-2056*	20	33	0.9	0.9	0.242 Kg/m
30-2079*	20	33	1.2	1.2	0.418 Kg/m
50-10563	20	35	2	2	0.551 Kg/m
10-1170	20	40	1	1	0.313 Kg/m
10-1493	20	40	1.1	1.1	0.343 Kg/m
10-1227*	20	40	1.15	1.15	0.348 Kg/m
10-1080	20	40	1.2	1.2	0.373 Kg/m
40-4638	20	40	1.6	1.6	0.492 Kg/m
20-911-B	20	40	1.8	1.8	0.560 Kg/m
40-5490*	20	40	1.9	1.9	0.551 Kg/m
10-4922	20	40	2	2	0.605 Kg/m





10-3568*	20	40	2.5	2.5	0.710 Kg/m
30-4167	20	40	3	3	0.878 Kg/m
20-957	20	50	1.5	1.5	0.550 Kg/m
10-4591	20	50	1.6	1.6	0.577 Kg/m
50-5324	20	50	1.8	1.8	0.645 Kg/m
10-4991	20	50	2	2	0.712 Kg/m
40-9642	20	50	3	1.5	0.682 Kg/m
50-7513	20	60	1.2	1.2	0.503 Kg/m
40-1453	20	60	1.4	1.4	0.585 Kg/m
20-958	20	60	1.5	1.5	0.630 Kg/m
50-2516	20	60	2	2	0.821 Kg/m
40-7784	20	60	3	3	1.203 Kg/m
10-4563	20	70	1.1	1.1	0.521 Kg/m
20-972	20	70	1.5	1.5	0.710 Kg/m
50-6419	20	80	1.1	1.1	0.581 Kg/m
20-959	20	80	1.3	1.3	0.700 Kg/m
40-4274	20	80	1.6	1.6	0.839 Kg/m
50-7551	20	100	1.5	1.5	0.948 Kg/m
20-946	20	100	1.6	1.6	1.020 Kg/m
30-2321	20	100	2	2	1.258 Kg/m
50-12483	20	120	1.6	1.6	1.186 Kg/m
30-2322	20	150	2	2	1.800 Kg/m
30-2590	20.1	49.2	1	1	0.365 Kg/m
30-2456	20.25	40.25	1.1	1.1	0.347 Kg/m
10-2080*	21.5	36.5	3	3	0.808 Kg/m
30-1776	22	27	1.35	1.35	0.341 Kg/m
40-1653*	22	28	1.5	1.5	0.397 Kg/m
10-5200	24	26.5	2	2	0.502 Kg/m
30-1832*	24	60	1.2	1.2	0.507 Kg/m
30-1833*	24	100	1.2	1.2	0.765 Kg/m
40-9747*	24.5	42	1.8	1.55	0.553 Kg/m
40-1350	25	30	1.1	1.1	0.314 Kg/m
40-10119	25	30	1.5	1.5	0.422 Kg/m
40-6589*	25	40	1.5	1.5	0.504 Kg/m
20-944*	25	40	2	2	0.670 Kg/m
10-1494*	25	40	4.9	4.9	1.458 Kg/m
40-5402*	25	50	2.9	2.9	1.087 Kg/m
30-1384*	25	60	1.2	1.2	0.513 Kg/m
20-12071	25	60	2	2	0.880 Kg/m
20-945*	25	60	3	3	1.290 Kg/m

40-1662	25	63.5	0.8	0.8	0.376 Kg/m
30-3344	25	65	0.9	0.9	0.428 Kg/m
10-1497	25	65	1	1	0.475 Kg/m
10-1499	25	75	1	1	0.529 Kg/m
40-5637*	25	100	2	2	1.293 Kg/m
10-5209*	25	150	1.5	1.5	1.676 Kg/m
50-6948	25.2	45.2	1.1	1.1	0.405 Kg/m
40-7663	26	41	2.5	2.5	0.840 Kg/m
50-4670*	26.5	46.5	3	3	1.078 Kg/m
30-1056*	26.8	60.4	3.3	3.3	1.422 Kg/m
50-6652	27.7	43.6	1.1	1.1	0.410 Kg/m
30-2568	28	65	1	1	0.490 Kg/m
40-10836	28	68	0.8	0.8	0.409 Kg/m
40-1465	28	68	1	1	0.509 Kg/m
40-3102	29	69	1	1	0.540 Kg/m
40-4636	29	69	2	2	1.018 Kg/m
50-5018	29.5	80	4	4	2.192 Kg/m
30-1036	30	40	1	1	0.369 Kg/m
40-1349	30	40	1.1	1.1	0.404 Kg/m
20-919	30	40	1.2	1.2	0.410 Kg/m
50-3691	30	40	1.3	1.3	0.473 Kg/m
40-6296*	30	40	1.5	1.5	0.544 Kg/m
10-4921	30	40	2	2	0.713 Kg/m
40-11348	30	40	3	3	1.040 Kg/m
20-936	30	40	3	3	1.050 Kg/m
40-6205*	30	50	1.8	1.8	0.744 Kg/m
10-1947	30	50	2	2	0.821 Kg/m
40-7722*	30	50	3	3	1.202 Kg/m
50-11897	30	50	3	3	1.203 Kg/m
20-943	30	50	3	3	1.265 Kg/m
10-4640	30	60	1.1	1.1	0.521 Kg/m
40-7630	30	60	1.4	1.4	0.661 Kg/m
10-4556	30	60	2	2	0.929 Kg/m
10-1427	30	70	0.8	0.8	0.425 Kg/m
30-1686	30	70	0.9	0.9	0.480 Kg/m
20-3201*	30	80	2	2	1.135 Kg/m
20-967	30	90	1.2	1.2	0.770 Kg/m
40-9391	30	100	2	2	1.365 Kg/m
20-930*	30.5	59.5	2	2	0.940 Kg/m
50-5019	30.84	50.85	3	3	1.225 Kg/m





Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık
40-1689	31	71	0.8	0.8	0.434 Kg/m
40-1440	31	73	1.1	1.1	0.606 Kg/m
40-10835	32	75	0.9	0.9	0.513 Kg/m
30-1029	32	75	1.1	1.1	0.627 Kg/m
10-1173	32	75	1.2	1.2	0.678 Kg/m
20-917-1.6	32	75	1.6	1.6	0.905 Kg/m
20-917-2	32	75	2	2	1.125 Kg/m
20-917-3	32	75	3	3	1.650 Kg/m
40-6662*	33	38	3.75	3.75	1.218 Kg/m
10-1404*	33	68	3.75	3.75	1.813 Kg/m
50-4992*	35	50	1.5	1.5	0.655 Kg/m
20-931*	35	64	1.8	1.8	0.940 Kg/m
40-11519	35	150	2	2	1.962 Kg/m
10-1405*	36.5	86.5	3	3	1.801 Kg/m
50-2970*	38	40	2	2	0.797 Kg/m
10-1501	39	109	2	2	1.555 Kg/m
30-1035	40	50	0.9	0.9	0.407 Kg/m
40-1649	40	50	1.05	1.05	0.500 Kg/m
10-1171	40	50	1.1	1.1	0.522 Kg/m
20-913	40	50	1.2	1.2	0.575 Kg/m
40-3900	40	50	1.6	1.6	0.745 Kg/m
20-913-B	40	50	1.8	1.8	0.845 Kg/m
40-4454	40	50	2	2	0.932 Kg/m
20-926	40	60	1.3	1.3	0.690 Kg/m
30-1603	40	60	1.5	1.5	0.789 Kg/m
10-1496	40	60	1.6	1.6	0.836 Kg/m
40-4524	40	60	1.7	1.7	0.890 Kg/m
20-926-B	40	60	1.8	1.8	0.950 Kg/m
10-4920	40	60	2	2	1.037 Kg/m
20-11150	40	60	3	3	1.530 Kg/m
20-956*	40	60	4	4	1.950 Kg/m
40-6189	40	65	2	2	1.094 Kg/m
50-4938*	40	79.9	4	4	2.398 Kg/m
10-1500	40	80	1.25	1.25	0.794 Kg/m
20-922	40	80	1.4	1.4	0.900 Kg/m
40-3414	40	80	1.6	1.6	1.003 Kg/m
10-5442	40	80	1.8	1.8	1.131 Kg/m
40-5674	40	80	2	2	1.257 Kg/m
20-11853	40	100	1.7	1.7	1.260 Kg/m

Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık
20-975	40	120	1.7	1.7	1.445 Kg/m
10-1502	41.3	111.3	2	2	1.605 Kg/m
50-2407	43	97	2	2	1.470 Kg/m
40-3580	45	90	2	2	1.420 Kg/m
20-936*	45	90	2.5	2.5	1.770 Kg/m
50-6107	45.6	57.8	3	3	1.576 Kg/m
50-6128	45.7	76.9	3	3	1.888 Kg/m
50-6142	45.7	97.9	3	3	2.229 Kg/m
50-9781*	50	60	3	3	1.685 Kg/m
50-9782*	50	60	8	8	4.060 Kg/m
20-5097*	50	65	2	2	1.185 Kg/m
40-11378	50	70	2	2	1.257 Kg/m
40-6664*	50	80	1.8	1.8	1.232 Kg/m
40-4232	50	80	3	3	2.016 Kg/m
30-2755	50	80	4	4	2.645 Kg/m
20-925	50	90	1.5	1.5	1.120 Kg/m
20-950	50	90	4	5	3.310 Kg/m
10-1174	50	95	1.5	1.5	1.150 Kg/m
40-3036	50	95	1.6	1.6	1.229 Kg/m
40-4639	50	95	1.8	1.8	1.379 Kg/m
40-10931	50	95	2	2	1.528 Kg/m
10-3572	50	100	1.2	1.2	0.956 Kg/m
40-10154	50	100	1.6	1.6	1.272 Kg/m
20-974	50	100	1.9	1.9	1.510 Kg/m
10-1944	50	100	2	2	1.577 Kg/m
50-5774	50	100	3	3	2.330 Kg/m
20-11574	50	125	2	2	1.855 Kg/m
40-6785*	50	135	1.8	1.8	1.769 Kg/m
10-5122	50	150	2	2	2.117 Kg/m
40-9465	50	150	3	3	3.154 Kg/m
10-4140	50	200	2	2	2.657 Kg/m
40-10278	50	200	2.5	2.5	3.319 Kg/m
50-5516	50	200	3	3	3.953 Kg/m
40-11118	50	250	3	3	4.780 Kg/m
20-11563	50	280	2.5	2.5	4.405 Kg/m
40-11131*	50	300	3	3	5.591 Kg/m
40-9707*	59	109	11	11	8.684 Kg/m
50-10726	60	80	2	2	1.469 Kg/m
50-11748	60	80	2.5	2.5	1.829 Kg/m



Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık
40-10214	60	100	1.8	1.8	1.525 Kg/m
50-7304	60	103	2	2	1.717 Kg/m
20-10755	60	120	1.8	1.8	1.725 Kg/m
40-3831	60	120	2	2	1.907 Kg/m
40-11521	60	120	3	3	2.829 Kg/m
10-4540*	60	150	3	3	3.284 Kg/m
10-3577*	60	200	*	*	4.803 Kg/m
10-4541*	60	260	3	3	5.431 Kg/m
40-10364	70	120	2	2	2.016 Kg/m
20-10978	70	150	2	2	2.345 Kg/m
40-11135	70	200	3	3	4.292 Kg/m
10-3813	70	300	3	3	5.876 Kg/m
10-4408	74	124.5	3	3	3.119 Kg/m
50-7020	75.5	80	2	2	1.636 Kg/m
20-13453	80	120	2	2	2.125 Kg/m
10-4994	80	150	3	3	3.629 Kg/m
50-9647*	80	200	3	3	4.439 Kg/m
10-4688	80	250	2.5	2.5	4.387 Kg/m
20-3467	86	120	4	2.5	3.390 Kg/m
10-4539*	90	94	2.5	2.5	2.595 Kg/m
10-4473*	100	135	2.5	2.5	4.478 Kg/m
10-4139	100	150	2	2	2.657 Kg/m
20-961*	100	150	2.2	2.2	2.930 Kg/m
40-11134	100	150	2.5	2.5	3.320 Kg/m
10-5189	100	200	2	2	3.197 Kg/m
50-4955*	100	200	2.2	2.2	3.511 Kg/m
40-11132	100	200	2.5	2.5	3.997 Kg/m
50-8766	100	200	3	3	4.763 Kg/m
50-11886*	100	200	4.8	4.8	7.556 Kg/m
10-2984	100	250	2.5	2.5	4.658 Kg/m
10-3533*	125	240	*	*	12.021 Kg/m
10-2859*	150	200	3	3	6.736 Kg/m

Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık Kg/m
30-1025	50	50	3	3	1.528 Kg/m
50-9291*	50	50	4	4	1.985 Kg/m
40-9637	54.4	54.4	2	2	1.115 Kg/m
30-3948	55	55	1.3	1.3	0.757 Kg/m
40-3237*	59	59	2	2	1.237 Kg/m
20-916	60	60	1.1	1.1	0.710 Kg/m
50-7120	60	60	1.2	1.2	0.762 Kg/m
30-1951	60	60	1.5	1.5	0.952 Kg/m
40-3413	60	60	1.6	1.6	1.003 Kg/m
20-941	60	60	2	2	1.270 Kg/m
50-10794*	60	60	2	2	1.252 Kg/m
10-3850	60	60	3	3	1.847 Kg/m
20-948	60	60	3.75	3.75	2.295 Kg/m
20-963	65	65	2	2	1.375 Kg/m
40-6739	69.8	69.8	1.85	1.85	1.362 Kg/m
50-6510*	71	71	2	2	1.430 Kg/m
50-8763	77	77	2	2	1.620 Kg/m
10-3543*	80	80	1.4	1.4	1.097 Kg/m
40-3412	80	80	1.7	1.7	1.442 Kg/m
20-952	80	80	2	2	1.700 Kg/m
50-10396*	80	80	3	3	2.475 Kg/m
20-953	80	80	4	4	3.300 Kg/m
40-4303	100	100	1.8	1.8	1.916 Kg/m
50-6547	100	100	1.9	1.9	2.013 Kg/m
20-968	100	100	2	2	2.125 Kg/m
40-11136	100	100	2.5	2.5	2.642 Kg/m
10-4877	100	100	4	4	4.147 Kg/m
50-10767	110	110	2	2	2.333 Kg/m
50-12142*	110	110	2.5	2.5	2.870 Kg/m
40-11137	120	120	3	3	3.805 Kg/m
20-949	120	120	4	4	5.040 Kg/m
10-4599*	130	130	3	3	4.173 Kg/m
10-4472	135	135	2.5	2.5	4.952 Kg/m
10-3851	150	150	3	3	4.763 Kg/m
20-11085*	150	150	4	4	6.330 Kg/m
20-962*	152	152	4.5	4.5	7.040 Kg/m



Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık Kg/m
30-2143	10	10	1	1	0.098 Kg/m
40-10766	10	10	1.3	1.3	0.122 Kg/m
40-6582*	10	10	1.8	1.8	0.159 Kg/m
40-6835*	12	12	2	2	0.214 Kg/m
10-1485*	12.95	12.95	1.3	1.3	0.167 Kg/m
40-7579*	13.8	13.8	2	2	0.253 Kg/m
40-10767	14	14	1.3	1.3	0.179 Kg/m
30-3766	14	14	1.5	1.5	0.204 Kg/m
50-2215	14	14	1.9	1.9	0.248 Kg/m
10-2474	14	14	2	2	0.259 Kg/m
30-2702	15	15	1	1	0.152 Kg/m
50-7422	15	15	1.2	1.2	0.179 Kg/m
40-6295*	15	15	1.5	1.5	0.218 Kg/m
40-5770*	15	15	2	2	0.281 Kg/m
10-5419	16	16	1.1	1.1	0.177 Kg/m
40-6910	16	16	1.5	1.5	0.236 Kg/m
10-2262	16	16	2	2	0.302 Kg/m
20-933	16.4	16.4	1.2	1.2	0.210 Kg/m
40-8985*	17	17	1.35	1.35	0.223 Kg/m
20-568	17	17	2.5	2.5	0.400 Kg/m
40-5491*	18	18	1.9	1.9	0.304 Kg/m
10-4554	20	20	1	1	0.205 Kg/m
40-1579	20	20	1.1	1.1	0.225 Kg/m
20-960	20	20	1.2	1.2	0.250 Kg/m
50-10367*	20	20	1.7	1.7	0.327 Kg/m
50-3002	20	20	1.8	1.8	0.345 Kg/m
40-5403*	20	20	2	2	0.389 Kg/m
30-2875	20.5	20.5	1.75	1.75	0.357 Kg/m
30-3048*	22	22	1.5	1.5	0.317 Kg/m
40-4683	25	25	1.2	1.2	0.309 Kg/m
30-1022	25	25	1.3	1.3	0.337 Kg/m
10-1486	25	25	1.5	1.5	0.380 Kg/m
40-4973*	25	25	1.8	1.8	0.435 Kg/m
10-5201	25	25	2	2	0.497 Kg/m
20-954*	25	25	2.2	2.2	0.550 Kg/m
50-3975*	25	25	2.2	2.2	0.526 Kg/m

Profil No	A (mm)	B (mm)	S1 (mm)	S2 (mm)	Ağırlık Kg/m
40-5385*	25	25	2.25	2.25	0.552 Kg/m
20-825-B	25	25	2.5	2.5	0.610 Kg/m
40-8736	25	25	3	3	0.715 Kg/m
40-9475*	25	25	5.3	5.3	1.135 Kg/m
10-3119	27.5	27.5	0.9	0.9	0.259 Kg/m
40-6456*	27.5	27.5	1.4	1.4	0.396 Kg/m
40-1559	30	30	1.1	1.1	0.344 Kg/m
20-940	30	30	1.2	1.2	0.380 Kg/m
30-1208	30	30	1.5	1.5	0.464 Kg/m
10-4923	30	30	2	2	0.605 Kg/m
40-5739*	30	30	2.35	2.35	0.664 Kg/m
10-5417	30	30	3	3	0.877 Kg/m
40-4360*	32	32	2	2	0.613 Kg/m
50-2906	34	34	2	2	0.691 Kg/m
20-947	35	35	2	2	0.720 Kg/m
20-932	38.5	38.5	2.25	2.25	0.890 Kg/m
10-1196	40	40	1	1	0.420 Kg/m
40-3019	40	40	1.1	1.1	0.459 Kg/m
10-1489	40	40	1.2	1.2	0.462 Kg/m
10-2170	40	40	1.5	1.5	0.624 Kg/m
40-4456	40	40	1.6	1.6	0.661 Kg/m
20-902-B	40	40	1.8	1.8	0.750 Kg/m
20-910-B	40	40	1.9	1.9	0.790 Kg/m
10-1172	40	40	2	2	0.820 Kg/m
40-8735	40	40	2.5	2.5	1.016 Kg/m
20-951*	40	40	2.5	2.5	1.020 Kg/m
10-3849	40	40	3	3	1.200 Kg/m
50-2718*	40	40	3.5	3.5	1.372 Kg/m
40-6245	40	40	4	4	1.560 Kg/m
40-3881*	42.8	42.8	1.1	1.1	0.260 Kg/m
40-6666	45	45	1.8	1.8	0.842 Kg/m
30-1662	45	45	2	2	0.933 Kg/m
40-6943	45	45	3	3	1.365 Kg/m
40-3893	50	50	1.2	1.2	0.634 Kg/m
10-1946	50	50	2	2	1.037 Kg/m
50-8943*	50	50	2.5	2.5	1.283 Kg/m